


Pre-installation

Shower tray LINE

LineX rectangulaire / Smooth / Slate



| A | B | C | D | E | V | P |
|-------------|-----|----|-----|----|-------|----|
| 1000 | 700 | 30 | 660 | 30 | 0'063 | 36 |
| 1010 → 1100 | 700 | 30 | 660 | 30 | 0'071 | 41 |
| 1110 → 1200 | 700 | 30 | 660 | 30 | 0'075 | 45 |
| 1210 → 1300 | 700 | 30 | 660 | 30 | 0'083 | 48 |
| 1310 → 1400 | 700 | 30 | 660 | 30 | 0'087 | 52 |
| 1410 → 1500 | 700 | 30 | 660 | 30 | 0'094 | 54 |
| 1510 → 1600 | 700 | 30 | 660 | 30 | 0'102 | 59 |
| 1610 → 1700 | 700 | 30 | 660 | 30 | 0'106 | 61 |
| 1710 → 1800 | 700 | 30 | 660 | 30 | 0'114 | 66 |
| 1810 → 1900 | 700 | 30 | 660 | 35 | 0'135 | 78 |
| 1910 → 2000 | 700 | 30 | 660 | 35 | 0'139 | 83 |

| A | B | C | D | E | V | P |
|-------------|-----|----|-----|----|-------|----|
| 1000 | 750 | 55 | 660 | 30 | 0'063 | 39 |
| 1010 → 1100 | 750 | 55 | 660 | 30 | 0'071 | 44 |
| 1110 → 1200 | 750 | 55 | 660 | 30 | 0'075 | 48 |
| 1210 → 1300 | 750 | 55 | 660 | 30 | 0'083 | 51 |
| 1310 → 1400 | 750 | 55 | 660 | 30 | 0'087 | 56 |
| 1410 → 1500 | 750 | 55 | 660 | 30 | 0'094 | 59 |
| 1510 → 1600 | 750 | 55 | 660 | 30 | 0'102 | 64 |
| 1610 → 1700 | 750 | 55 | 660 | 30 | 0'106 | 66 |
| 1710 → 1800 | 750 | 55 | 660 | 30 | 0'114 | 71 |
| 1810 → 1900 | 750 | 55 | 660 | 35 | 0'135 | 84 |
| 1910 → 2000 | 750 | 55 | 660 | 35 | 0'139 | 90 |



| A | B | C | D | E | V | P |
|-------------|-----|----|-----|----|-------|----|
| 1000 | 800 | 80 | 660 | 30 | 0'063 | 42 |
| 1010 → 1100 | 800 | 80 | 660 | 30 | 0'071 | 47 |
| 1110 → 1200 | 800 | 80 | 660 | 30 | 0'075 | 52 |
| 1210 → 1300 | 800 | 80 | 660 | 30 | 0'083 | 55 |
| 1310 → 1400 | 800 | 80 | 660 | 30 | 0'087 | 60 |
| 1410 → 1500 | 800 | 80 | 660 | 30 | 0'094 | 63 |
| 1510 → 1600 | 800 | 80 | 660 | 30 | 0'102 | 68 |
| 1610 → 1700 | 800 | 80 | 660 | 30 | 0'106 | 71 |
| 1710 → 1800 | 800 | 80 | 660 | 30 | 0'114 | 76 |
| 1810 → 1900 | 800 | 80 | 660 | 35 | 0'135 | 91 |
| 1910 → 2000 | 800 | 80 | 660 | 35 | 0'139 | 96 |

| A | B | C | D | E | V | P |
|-------------|-----|----|-----|----|-------|-----|
| 1000 | 900 | 80 | 760 | 30 | 0'079 | 47 |
| 1010 → 1100 | 900 | 80 | 760 | 30 | 0'089 | 53 |
| 1110 → 1200 | 900 | 80 | 760 | 30 | 0'094 | 59 |
| 1210 → 1300 | 900 | 80 | 760 | 30 | 0'104 | 62 |
| 1310 → 1400 | 900 | 80 | 760 | 30 | 0'109 | 68 |
| 1410 → 1500 | 900 | 80 | 760 | 30 | 0'119 | 72 |
| 1510 → 1600 | 900 | 80 | 760 | 30 | 0'124 | 77 |
| 1610 → 1700 | 900 | 80 | 760 | 30 | 0'134 | 81 |
| 1710 → 1800 | 900 | 80 | 760 | 30 | 0'139 | 86 |
| 1810 → 1900 | 900 | 80 | 760 | 35 | 0'135 | 100 |
| 1910 → 2000 | 900 | 80 | 760 | 35 | 0'139 | 106 |

| A | B | C | D | E | V | P |
|-------------|------|----|-----|----|-------|----|
| 1000 | 1000 | 80 | 860 | 30 | 0'079 | 52 |
| 1010 → 1100 | 1000 | 80 | 860 | 30 | 0'089 | 58 |
| 1110 → 1200 | 1000 | 80 | 860 | 30 | 0'094 | 64 |
| 1210 → 1300 | 1000 | 80 | 860 | 30 | 0'104 | 68 |
| 1310 → 1400 | 1000 | 80 | 860 | 30 | 0'109 | 74 |
| 1410 → 1500 | 1000 | 80 | 860 | 30 | 0'127 | 80 |
| 1510 → 1600 | 1000 | 80 | 860 | 30 | 0'133 | 86 |
| 1610 → 1700 | 1000 | 80 | 860 | 30 | 0'143 | 90 |
| 1710 → 1800 | 1000 | 80 | 860 | 30 | 0'149 | 95 |

| A | B | C | D | E | V | P |
|-------------|------|---|-----|----|-------|-----|
| 1200 → 1300 | 1100 | | 860 | 30 | 0'127 | 76 |
| 1310 → 1400 | 1100 | | 860 | 30 | 0'127 | 82 |
| 1410 → 1500 | 1100 | | 860 | 30 | 0'145 | 105 |
| 1510 → 1600 | 1100 | | 860 | 30 | 0'154 | 113 |
| 1610 → 1700 | 1100 | | 860 | 30 | 0'163 | 119 |
| 1710 → 1800 | 1100 | | 860 | 30 | 0'173 | 127 |

Units: mm / V: m³ / P: Kg



(H) Height according to valve supplied

X Glass enclosure zone. The minimum area reserved for the glass enclosure is 30mm

LineY rectangulaire / Smooth / Slate

| A | B | C | V | P |
|-------------|-----|----------|-------|----|
| 1200 | 800 | 30 | 0'094 | 49 |
| 1210 → 1300 | 800 | 35 → 80 | 0'104 | 54 |
| 1310 → 1400 | 800 | 85 → 130 | 0'109 | 59 |
| 1410 → 1500 | 800 | 35 → 80 | 0'119 | 62 |
| 1510 → 1600 | 800 | 85 → 130 | 0'124 | 67 |
| 1610 → 1700 | 800 | 35 → 80 | 0'134 | 70 |
| 1710 → 1800 | 800 | 85 → 130 | 0'139 | 75 |

| A | B | C | V | P |
|-------------|-----|----------|-------|----|
| 1200 | 900 | 30 | 0'094 | 55 |
| 1210 → 1300 | 900 | 35 → 80 | 0'104 | 61 |
| 1310 → 1400 | 900 | 85 → 130 | 0'109 | 67 |
| 1410 → 1500 | 900 | 35 → 80 | 0'119 | 70 |
| 1510 → 1600 | 900 | 85 → 130 | 0'124 | 76 |
| 1610 → 1700 | 900 | 35 → 80 | 0'134 | 80 |
| 1710 → 1800 | 900 | 85 → 130 | 0'139 | 85 |

| A | B | C | V | P |
|-------------|------|----------|-------|----|
| 1200 | 1000 | 30 | 0'094 | 62 |
| 1210 → 1300 | 1000 | 35 → 80 | 0'104 | 69 |
| 1310 → 1400 | 1000 | 85 → 130 | 0'109 | 75 |
| 1410 → 1500 | 1000 | 35 → 80 | 0'119 | 79 |
| 1510 → 1600 | 1000 | 85 → 130 | 0'124 | 85 |
| 1610 → 1700 | 1000 | 35 → 80 | 0'134 | 89 |
| 1710 → 1800 | 1000 | 85 → 130 | 0'139 | 95 |

LineX square / Smooth / Slate

| A | B | C | D | E | V | P |
|------|------|----|-----|----|-------|----|
| 800 | 800 | 30 | 760 | 30 | 0'079 | 35 |
| 900 | 900 | 80 | 760 | 30 | 0'079 | 44 |
| 1000 | 1000 | 80 | 860 | 30 | 0'079 | 53 |

LineY rectangulaire / Smooth

| A | B | C | V | P |
|-------------|------|-----------|-------|-----|
| 1200 | 1300 | 30 | 0'157 | 100 |
| 1210 → 1300 | 1300 | 35 → 80 | 0'168 | 109 |
| 1310 → 1400 | 1300 | 85 → 130 | 0'179 | 119 |
| 1410 → 1500 | 1300 | 135 → 180 | 0'190 | 128 |
| 1510 → 1600 | 1300 | 35 → 80 | 0'181 | 139 |
| 1610 → 1700 | 1300 | 85 → 130 | 0'191 | 150 |
| 1710 → 1800 | 1300 | 35 → 180 | 0'202 | 156 |
| 1810 → 1900 | 1300 | 85 → 130 | 0'213 | 166 |

| A | B | C | V | P |
|-------------|------|-----------|-------|-----|
| 1200 | 1400 | 30 | 0'168 | 109 |
| 1210 → 1300 | 1400 | 35 → 80 | 0'180 | 119 |
| 1310 → 1400 | 1400 | 85 → 130 | 0'192 | 129 |
| 1410 → 1500 | 1400 | 135 → 180 | 0'204 | 139 |
| 1510 → 1600 | 1400 | 35 → 80 | 0'194 | 152 |
| 1610 → 1700 | 1400 | 85 → 130 | 0'206 | 163 |
| 1710 → 1800 | 1400 | 35 → 180 | 0'217 | 170 |
| 1810 → 1900 | 1400 | 85 → 130 | 0'229 | 181 |

| A | B | C | V | P |
|-------------|------|-----------|-------|-----|
| 1200 | 1500 | 30 | 0'179 | 118 |
| 1210 → 1300 | 1500 | 35 → 80 | 0'192 | 128 |
| 1310 → 1400 | 1500 | 85 → 130 | 0'205 | 139 |
| 1410 → 1500 | 1500 | 135 → 180 | 0'218 | 150 |

Units: mm / V: m³ / P: Kg

Installation

SHOWER TRAY LINE

1

2

3

4

5

6

7


8

9


Installation

SHOWER TRAY LINE

10



11



Adhesives and others

(supplied by hidrobox)



Two-component polyurethane adhesive R2 or R2T

Cube of 5KG or 10KG White



MS Adhesive for installation in cords

300 ml cartridge



Silicone sealant

310 ml cartridge